r 3047 - 3050 [illegible]
(Book 20)

N053 - MuAb

human iNOS Carboxyl Term: CR(Nle)(Orn)-SLEMSAL/Thyro conjugate

4 shots @ 100µgm/shot (1.6 mgm total)

1) 1st immunization - IP — 0.8ml aq, 0.8ml FCA, total 1.6 ml soln. — 10-19-93

2) 2nd IP / FCA — JC/DW — 11-11-93

3) 3rd IP / FCA — JC/RW — 12-2-93

4) Test Bleed by tail vein — JC/RW — 12-9-93

5) Test Bleed by tail vein — AF/RW — 12-30-93

6) 4th IP / IV in PBS (Final prior to fusion) #r 3049 + r 3050 only — KF/RW — 1-4-93

7) R3049 + 50 termed for fusion — A/RW — 1-7-93

8) Test Bleed by tail vein — JC — 2-22-94

9) fused with fusion partner — 3/7/94

BEST AVAILABLE COPY

(Book 20)

EASY BEAM

Plate # 3
Operator Jc

Date 12 / 14 / 93
Comment N053 Test Bleed
Probe N054-rats
Plate sensitize @ 100ng/well

Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12		
A	+0.000	+OVER	+OVER	+1.450	+0.584	+0.132	+0.028	+0.000	+0.000	+0.000	+0.000	+0.000	A r3047	IgM
B	-0.005	+OVER	+OVER	+OVER	+1.462	+0.543	+0.161	+0.060	+0.021	+0.008	+0.000	+0.000	B r3048	
C	+0.000	+OVER	+OVER	+OVER	+1.330	+0.441	+0.126	+0.040	+0.014	+0.000	+0.000	+0.000	C r3049	
D	+0.000	+OVER	+OVER	+OVER	+1.512	+0.536	+0.129	+0.033	+0.000	-0.005	+0.000	-0.006	D r3050	
E	+0.000	+OVER	+OVER	+1.972	+1.947	+1.813	+1.605	+1.268	+0.864	+0.482	+0.293	+0.173	E r3047	IgG
F	+0.000	+OVER	+OVER	+OVER	+OVER	+OVER	+1.912	+1.779	+1.495	+1.128	+0.704	+0.375	F r3048	
G	+0.000	+OVER	+OVER	+OVER	+OVER	+OVER	+OVER	+1.880	+1.584	+1.260	+0.830	+0.530	G r3049	
H	+0.000	+OVER	+OVER	+OVER	+OVER	+OVER	+1.972	+1.890	+1.671	+1.428	+0.989	+0.621	H r3050	
		2	3	4	5	6	7	8	9	10	11	12		
	Blank	1→100	1→200	1→400	1→800	1→1600	1→3200	1→6400	1→12800	1→25600	1→51200	1→102400		

EASY BEAM

Plate # 3
Operator Jc
Date 12 / 14 / 93
Comment N053 Test Bleed
Probe N054-rats
Plate sensitize @ 100 ng 1 well
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12		
A	+0.000	+OVER	+OVER	+1.450	+0.584	+0.132	+0.028	+0.000	+0.000	+0.000	+0.000	+0.000	A r3047	IgM
B	-0.005	+OVER	+OVER	+OVER	+1.462	+0.543	+0.161	+0.060	+0.021	+0.008	+0.000	+0.000	B r3048	
C	+0.000	+OVER	+OVER	+OVER	+1.330	+0.441	+0.126	+0.040	+0.014	+0.000	+0.000	+0.000	C r3049	
D	+0.000	+OVER	+OVER	+OVER	+1.512	+0.536	+0.129	+0.033	+0.000	-0.005	+0.000	-0.006	D r3050	
E	+0.000	+OVER	+OVER	+1.972	+1.947	+1.813	+1.605	+1.268	+0.864	+0.482	+0.293	+0.173	E r3047	IgG
F	+0.000	+OVER	+OVER	+OVER	+OVER	+OVER	+1.912	+1.779	+1.495	+1.128	+0.704	+0.375	F r3048	
G	+0.000	+OVER	+OVER	+OVER	+OVER	+OVER	+OVER	+1.880	+1.584	+1.260	+0.830	+0.530	G r3049	
H	+0.000	+OVER	+OVER	+OVER	+OVER	+OVER	+1.972	+1.890	+1.671	+1.428	+0.989	+0.621	H r3050	
	1	2	3	4	5	6	7	8	9	10	11	12		
	Blank→	1→100	1→200	1→400	1→800	1→1600	1→3200	1→6400	1→12800	1→25600	1→51200	1→102400		

Titers

IgM:

1) r3047 - 700
2) r3048 - 1400
3) r3049 - 1400
4) r3050 - 1400

IgG:

1) 47 - 9600
48 - 26,000
49 - 38,400

50 - 51200

EASY BEAM

Plate # 1
Operator AF
Date 12 / 31 / 93
Comment N-054 50ng/well
test bleed
Filter 492 nm

		1	2	3	4	5	6	7	8	9	10	11	12		
HRP-GAr IgG	A	+0.000	+1.892	+1.851	+1.913	+1.925	+1.948	+1.861	+1.780	+1.596	+1.314	+0.949	+0.642	A	rat#3047
	B	+0.000	+1.960	+1.986	+OVER	+1.986	+1.925	+1.764	+1.607	+1.411	+1.001	+0.635	+0.359	B	r3048
	C	+0.000	+1.925	+1.960	+1.960	+1.960	+1.925	+1.902	+1.881	+1.712	+1.448	+1.117	+0.765	C	r3049
	D	+0.000	+1.960	+1.925	+1.960	+1.999	+1.925	+1.902	+1.772	+1.565	+1.244	+0.773	+0.473	D	r3050
HRP-GArIgM	E	+0.000	+OVER	+OVER	+OVER	+OVER	+1.290	+0.350	+0.085	+0.011	-0.010	-0.012	-0.014	E	r3047
	F	-0.012	+OVER	+OVER	+1.672	+0.756	+0.272	+0.101	+0.040	+0.009	-0.006	-0.010	-0.010	F	r3048
	G	-0.017	+OVER	+OVER	+OVER	+1.492	+0.648	+0.232	+0.075	+0.028	+0.000	+0.000	-0.007	G	r3049
	H	+0.000	+OVER	+OVER	+OVER	+OVER	+1.130	+0.363	+0.095	+0.015	+0.000	-0.006	+0.000	H	r3050
		1	2	3	4	5	6	7	8	9	10	11	12		
		Blank	1:100	1:200	1:400	1:800	1:1600	1:3200	1:6400	1:12800	1:25600	1:51200	1:102400		

093
(Book 12)

N053 Rat Fusion #2

Y3.1 : 12xT-75 : Counted 4xT-75

Pool #1 = 6.2×10^7 cells total @ 98% viability
Pool #2 = 7.4×10^7 " " @ 100% "
Pool #3 = 9.1×10^7 " " @ " "
Pool #4 = 4.6×10^7 " " @ 97% "

Total = 2.73×10^8 @ viability avg = 98.8%

Y3.1 = 2.73×10^8 cells / 20 ml = 13.65×10^6 cells / ml

#1 $\frac{13.65 \times 10^6 \text{ cells}}{\text{ml}} = \frac{6.1 \times 10^7 \text{ cells}}{x \text{ ml}}$

= 4.5 ml

∴ Need 4.5 ml Y3.1

#2 $\frac{13.65 \times 10^6 \text{ cells}}{\text{ml}} = \frac{6.2 \times 10^7 \text{ cells}}{x \text{ ml}}$

= 4.6 ml Y3.1

Fusion : Fused 2 spleens separately + plate out separately

Plating : Pool A = 5 x 96 well plates + 1 x 24 well
Pool B = 5 x 96 " "

Saturday 8 Jan 1994 → rN053 10x96 well + 1x24 well → fed c̄ 1 drop media

Sunday 1/9/94

Fed N053 rat hybrids c̄ 1 drop/well of medium
IMDM c̄ HAT
20% FCS
P/S
⊕ OPI ⊙
+ 4M NaOH

Note fed 24 well - ⊕ 6 drops of medium/well

EASY BEAM

Plate # ND53 #1 A
Operator JC/KF
Date 2 / 12 / 94
Comment
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.000	+0.008	+0.006	+0.000	+0.000	+0.000	+0.000	+0.014	+0.000	+0.000	+0.000	A
B	+0.000	+0.000	+0.000	+0.107	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	B
C	+0.000	+0.000	+0.010	+0.000	+0.000	+0.000	+0.000	-0.006	+0.000	+0.000	-0.007	+0.012	C
D	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	D
E	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.006	-0.006	+0.000	+0.000	+0.000	E
F	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.006	+0.000	+0.000	+0.000	F
G	+0.000	+0.000	-0.005	+0.000	+0.000	-0.005	-0.005	-0.005	-0.007	-0.007	+0.000	+0.000	G
H	+0.000	+0.000	+0.008	+0.006	+0.000	+0.000	+0.043	+0.000	+0.000	+0.007	+0.000	+0.012	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053 - 3A

Operator JC/KF

Date 2 / 12 / 94

Comment

Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.012	+0.009	+0.000	+0.000	+0.000	+0.000	+0.000	+0.011	+0.009	+0.000	+0.005	+0.012	A
B	+0.008	+0.008	+0.006	+0.000	+0.016	+0.000	+0.000	+0.000	+0.005	+0.009	+0.006	+0.000	B
C	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.011	C
D	+0.000	+0.008	+0.000	+0.000	+0.000	+0.012	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	D
E	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.006	+0.000	+0.000	+0.000	+0.000	+0.000	E
F	+0.000	+0.005	+0.005	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.005	F
G	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	G
H	+0.000	+0.011	+0.009	+0.007	+0.000	+0.009	+0.000	+0.005	+0.000	+0.000	+0.000	+0.009	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053 · 4A
Operator JC/ KE
Date 2 / 12 / 94
Comment
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.007	+0.007	+0.000	+0.007	+0.016	+0.010	+0.000	+0.000	+0.009	+0.009	+0.009	+0.009	A
B	+0.005	+0.000	+0.000	+0.000	+0.000	+0.007	+0.007	+0.012	+0.006	+0.009	+0.007	+0.014	B
C	+0.000	+0.005	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.005	+0.000	+0.014	C
D	+0.023	+0.008	+0.000	+0.000	+0.000	+0.000	+0.008	+0.000	+0.000	+0.000	+0.000	+0.019	D
E	+0.008	+0.000	+0.000	+0.000	+0.000	+0.000	+0.006	+0.000	+0.000	+0.000	+0.008	+0.034	E
F	+0.007	+0.000	+0.006	+0.000	+0.000	+0.005	+0.000	+0.006	+0.000	+0.010	+0.000	+0.023	F
G	+0.010	+0.000	+0.000	+0.000	+0.000	+0.000	+0.008	+0.013	+0.000	+0.000	+0.000	+0.022	G
H	+0.005	+0.008	+0.008	+0.006	+0.012	+0.008	+0.010	+0.010	+0.008	+0.005	+0.005	+0.017	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053 # 5A
Operator JC/KF
Date 2 / 12 / 94
Comment
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.016	+0.005	+0.013	+0.000	+0.000	+0.000	+0.000	+0.000	+0.013	+0.013	+0.000	+0.021	A
B	+0.010	+0.010	+0.000	+0.000	+0.000	+0.008	+0.000	+0.000	+0.015	+0.000	+0.005	+0.005	B
C	+0.010	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.006	+0.000	+0.005	C
D	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	D
E	+0.007	+0.005	+0.000	+0.000	+0.000	-0.006	+0.000	+0.000	+0.000	+0.000	-0.005	+0.009	E
F	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.008	F
G	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.007	-0.005	-0.005	+0.000	+0.000	+0.017	G
H	+0.000	+0.000	+0.000	+0.000	+0.000	+0.012	+0.000	+0.000	+0.000	+0.000	+0.000	+0.019	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053-24 well (A)
Date 2 / 12 / 94
Filter 492 nm
Operator
Comment

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.038	+0.000	+0.000	+0.000	-0.005	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	A
B	+0.007	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.005	+0.000	B
C	======	======	======	======	======	======	======	======	======	======	======	======	C
D	======	======	======	======	======	======	======	======	======	======	======	======	D
E	======	======	======	======	======	======	======	======	======	======	======	======	E
F	======	======	======	======	======	======	======	======	======	======	======	======	F
G	======	======	======	======	======	======	======	======	======	======	======	======	G
H	======	======	======	======	======	======	======	======	======	======	======	======	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053 #1B
Date 2 / 12 / 94
Filter 492 nm
Operator JC/KF
Comment

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.009	+0.000	+0.000	+0.000	+0.000	+0.037	-0.006	-0.006	+0.000	+0.000	+0.000	+0.010	A
B	+0.000	+0.000	+0.000	-0.006	-0.006	+0.000	+0.000	-0.005	+0.000	+0.000	+0.000	+0.000	B
C	+0.000	+0.000	-0.005	+0.000	+0.000	-0.006	-0.006	-0.006	+0.000	-0.010	-0.006	+0.000	C
D	+0.000	+0.000	+0.000	+0.000	-0.006	-0.006	+0.000	+0.000	-0.005	-0.005	+0.000	+0.000	D
E	+0.000	+0.022	+0.000	+0.000	-0.007	+0.000	-0.007	+0.000	-0.007	-0.010	+0.000	+0.000	E
F	+0.000	+0.018	+0.000	+0.000	+0.000	-0.005	-0.005	-0.005	+0.016	-0.006	+0.000	+0.000	F
G	+0.000	-0.006	-0.006	-0.006	-0.006	+0.000	-0.007	-0.007	-0.005	-0.008	+0.000	-0.007	G
H	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.007	+0.000	-0.007	+0.000	+0.000	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053-2B
Operator JC/KF
Date 2 / 12 / 94
Comment
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.009	+0.011	+0.008	+0.014	+0.006	+0.000	+0.000	+0.011	+0.000	+0.000	+0.000	+0.025	A
B	+0.000	+0.000	+0.008	+0.008	+0.008	+0.005	+0.009	+0.000	+0.000	-0.005	+0.000	+0.025	B
C	+0.000	+0.000	+0.000	+0.008	+0.000	-0.005	-0.005	+0.186	-0.005	-0.005	+0.043	+0.000	C
D	+0.000	+0.000	+0.000	+0.000	+0.000	+0.013	+0.005	+0.000	+0.000	-0.005	+0.000	+0.000	D
E	-0.005	-0.005	-0.005	-0.005	-0.008	-0.006	+0.015	+0.237	+0.000	-0.009	-0.006	-0.010	E
F	+0.000	-0.006	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.010	-0.007	-0.005	-0.005	F
G	-0.005	-0.005	-0.008	+0.000	-0.006	-0.006	-0.005	-0.008	-0.008	-0.006	+0.000	-0.005	G
H	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	-0.005	+0.000	+0.000	+0.000	H
	1	2	3	4	5	6	7	8	9	10	11	12	

2BC8

2BE8

EASY BEAM

Plate # N053 # 3B
Operator XjKF
Date 9 / 12 / 94
Comment
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.036	+0.014	+0.000	+0.010	+0.000	+0.005	+0.007	+0.007	+0.010	+0.000	+0.000	+0.016	A
B	+0.016	+0.006	+0.008	+0.011	+0.005	+0.044	+0.000	+0.019	+0.010	+0.007	+0.007	+0.011	B
C	+0.014	+0.000	+0.000	+0.007	+0.000	+0.000	+0.011	+0.000	+0.006	+0.000	+0.006	+0.008	C
D	+0.016	+0.006	+0.006	+0.000	+0.005	+0.013	+0.008	+0.006	+0.006	+0.013	+0.009	+0.009	D
E	+0.013	+0.000	+0.000	+0.045	+0.000	+0.005	+0.005	+0.008	+0.012	+0.006	+0.009	+0.011	E
F	+0.013	+0.005	+0.000	+0.006	+0.006	+0.000	+0.008	+0.011	+0.009	+0.015	+0.011	+0.011	F
G	+0.013	+0.000	+0.013	+0.000	+0.007	+0.000	+0.008	+0.005	+0.008	+0.008	+0.018	+0.011	G
H	+0.011	+0.008	+0.010	+0.015	+0.013	+0.009	+0.009	+0.011	+0.011	+0.014	+0.017	+0.017	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # NO53-48
Operator JC/KF
Date 2 / 12 / 94
Comment
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.000	+0.000	+0.008	+0.008	+0.000	+0.000	+0.000	+0.005	+0.000	+0.016	+0.013	A
B	+0.005	+0.005	+0.000	+0.005	+0.000	+0.008	+0.000	+0.007	+0.007	+0.005	+0.007	+0.007	B
C	+0.000	+0.000	+0.000	+0.006	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.027	C
D	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.013	+0.008	+0.011	+0.000	+0.007	D
E	+0.000	+0.000	+0.031	+0.000	+0.000	+0.000	+0.000	+0.000	+0.014	+0.000	+0.000	+0.000	E
F	+0.000	+0.006	+0.000	+0.000	+0.000	+0.007	+0.000	+0.005	+0.000	+0.000	+0.000	+0.010	F
G	+0.008	+0.000	+0.000	+0.000	+0.005	+0.000	+0.000	+0.000	+0.000	+0.000	+0.009	+0.009	G
H	+0.011	+0.005	+0.009	+0.000	+0.005	+0.005	+0.007	+0.012	+0.012	+0.009	+0.009	+0.009	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053#5B
Operator JC/ KF
Date 2 / 12 / 94
Comment
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.025	+0.014	+0.010	+0.016	+0.000	+0.005	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	A
B	+0.022	+0.005	+0.009	+0.005	+0.000	+0.000	+0.007	+0.005	+0.005	+0.000	+0.000	+0.022	B
C	+0.007	+0.000	+0.000	+0.005	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	C
D	+0.005	+0.000	+0.000	+0.005	+0.000	+0.000	+0.006	+0.000	+0.000	+0.000	+0.000	+0.000	D
E	+0.000	+0.000	+0.008	+0.000	+0.000	+0.033	+0.008	+0.000	+0.000	+0.000	+0.000	+0.008	E
F	+0.008	+0.000	+0.000	+0.000	+0.000	+0.000	+0.005	+0.000	+0.000	+0.000	+0.000	+0.010	F
G	+0.012	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	G
H	+0.000	+0.000	+0.000	+0.060	+0.000	+0.000	+0.005	+0.005	+0.009	+0.006	+0.000	+0.000	H
	1	2	3	4	5	6	7	8	9	10	11	12	

5BH4

EASY BEAM

Plate # N053
Operator KF
Date 3 / 4 / 94
Comment Sensitize @ 100ng/well N054
1° Ab= N053 culture supernatant
Filter 492 nm

		1	2	3	4	5	6	7	8	9	10	11	12		
2C8	A	+0.013	+0.064	+0.020	+0.022	+0.015	+0.023	+0.023	+0.027	+0.034	+0.011	+0.011	+0.023	A	IgG
2E8	B	+0.021	+0.410	+0.227	+0.115	+0.084	+0.066	+0.041	+0.051	+0.044	+0.010	+0.044	+0.031	B	
5F12	C	+0.010	+0.020	+0.022	+0.025	+0.025	+0.031	+0.026	+0.033	+0.036	+0.012	+0.012	+0.036	C	
5H4	D	+0.020	+0.272	+0.139	+0.082	+0.059	+0.059	+0.039	+0.064	+0.041	+0.036	+0.020	+0.041	D	
2C8	E	+0.000	+0.053	+0.021	+0.014	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.005	E	IgM
2E8	F	+0.000	+0.008	+0.008	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.005	F	
5F12	G	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.005	+0.007	G	
5H4	H	+0.000	+0.007	+0.007	+0.010	+0.005	+0.007	+0.007	+0.007	+0.000	+0.005	+0.005	+0.005	H	
		1	2	3	4	5	6	7	8	9	10	11	12		
		Blank	1→2	1→4	1→8	1→16	1→32	1→64	1→128	1→256	1→512	1→1024	1→1048		

Testing Positive Hybridomas Cutlure Supernatant
for binding to reco human iNOS (8/19/93 batch)

3-5-94

	1	2	3	4	5	6	7	8	9	10	11	12	
A													A
B													B
C													C
D													D
E	2C8 100µl	2C8 50µl	2C8 25µl	2E8 100µl	2E8 50µl	2E8 25µl	5F12 100µl	5F12 50µl	5F12 25µl	5H4 100µl	5H4 50µl	5H4 25µl	E
Rabbit 2780 F	blank	1:1000	1:2000	1:4000	1:8000	1:16000	1:32000	1:64000	1:128000	blank	blank	blank	F
G													G
H													H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # 1
Operator DF
Date 3 / 6 / 94
Comment ADP Sephaeose hiNOS (8-19/93)@10ng/well
Filter 492 nm

		1	2	3	4	5	6	7	8	9	10	11	12	
	A	======	======	======	======	======	======	======	======	======	======	======	======	A
	B	======	======	======	======	======	======	======	======	======	======	======	======	B
	C	======	======	======	======	======	======	======	======	======	======	======	======	C
	D	======	======	======	======	======	======	======	======	======	======	======	======	D
	E	100µl +0.000	2C8 50µl +0.000	25µl +0.000	100µl +0.009	2E8 50µl +0.000	25µl -0.009	100µl +0.000	5F12 60µl +0.006	25µl -0.005	100µl +0.000	5H4 50µl +0.000	25µl +0.000	E
Rabbit 2760	F	blank +0.000	1:1000 +1.711	1:2000 +1.294	1:4000 +0.840	1:8000 +0.568	1:16K +0.307	1:32K +0.178	1:64K +0.058	1:128K +0.017	blank +0.006	blank +0.000	blank -0.006	F
	G	======	======	======	======	======	======	======	======	======	======	======	======	G
	H	======	======	======	======	======	======	======	======	======	======	======	======	H
		1	2	3	4	5	6	7	8	9	10	11	12	

NO Hybridoma Antibody
binding to whole molecule

EASY BEAM

Plate # N053
Operator JR
Date 2 / 24 / 94
Comment Sens. w/ N054 @ 100ng/well
Filter 492 nm

		1	2	3	4	5	6	7	8	9	10	11	12		
r3047	A	+0.041	+OVER	+1.924	+1.771	+1.579	+1.255	+0.862	+0.497	+0.295	+0.137	+0.085	+0.058	A	IgG
r3048	B	+0.033	+OVER	+1.998	+1.959	+1.860	+1.665	+1.458	+1.022	+0.669	+0.291	+0.169	+0.101	B	
r3047	C	+0.000	+1.450	+0.419	+0.201	+0.112	+0.054	+0.029	+0.017	+0.008	+0.000	+0.008	+0.000	C	IgM
r3048	D	+0.000	+1.912	+1.253	+0.739	+0.394	+0.185	+0.096	+0.116	+0.087	+0.059	+0.048	+0.025	D	
	E	======	======	======	======	======	======	======	======	======	======	======	======	E	
	F	======	======	======	======	======	======	======	======	======	======	======	======	F	
	G	======	======	======	======	======	======	======	======	======	======	======	======	G	
	H	======	======	======	======	======	======	======	======	======	======	======	======	H	
		1	2	3	4	5	6	7	8	9	10	11	12		
		Blank	1:100	1:200	1:400	1:800	1:1600	1:3200	1:6400	1:12,800	1:25,600	1:51,200	1:102,400		

(Book 25)

Rat N053 Fusion (JR)

Y3.1

flask #1 : attached: Total cells = 0.6 x10^6 @ 97.2 % viability
floating: Total cells = 16.4x10^6 @ 97.6% viability

flask #2 & #3 : floating: Total cells = 46.8 x10^6 @ 94.2 % viability

flask #4 & #5 : floating: Total cells = 76.4 x10^6 @ 92.3% viability

(flask #6 & #7: floating: Total cells = 57.9 x10^6 @ 92.8% viability)

flask #8 + #9 : floating: Total cells = 39.5 x10^6 @ 95.7 % viability
flask #10 ⟶ : floating Total cells = 14.3 x10^6 @ 97.1% viability
Avg viability

Use all except flask 6 & 7 :

Total Cell Count = 2.02 x10^8
Avg Viability = 97.1 %

Splenocytes :

Total Avg Cell Count = 2.59 x10^8 splenocytes

Fusion Ratio:

combine 1.3 x10^8 Y3.i : c̄ splenocytes
= 6.4 ml (out of 10 ml) Y3.i used c̄ splenocytes
= 1.3x10^8 Y3.i : 2.6x10^8 splenocytes
or : 2 splenocytes : 1 Y3.i

PEG added w/o loosening pellet ∴ slightly clumpy soln. after stirring firmly.

Plating: plate out cells onto 11 x 96 well plates at ~ 140 µl/well total volume of media + cells (~16 ml total cell soln.)

(KF) SP2/0 Ag14 12 x T-75 : Add 10 ml fresh media

(JR) SP2/0 Ag14 12 x T-75 : Add 10 ml fresh media

KF'S screen

EASY BEAM

Plate # N053-1 Date 4 / 5 / 94 Filter 492 nm

Ooerator JR Comment Sens w/ N064 @ 100ng/well
2°Ab = HRP-GAr IgG/M cocktail

	1	2	3	4	5	6	7	8	9	10	11	12	
A	-0.005	+0.005	+0.000	+0.000	+0.000	+0.000	+0.000	-0.006	+0.000	-0.007	+0.008	+0.000	A
B	-0.006	+0.000	+0.000	+0.000	+0.005	+0.000	+0.000	+0.000	+0.005	+0.000	+0.086	+0.010	B
C	-0.008	+0.000	+0.005	+0.008	+0.015	+0.000	+0.009	+0.011	+0.006	+0.000	+0.006	+0.000	C
D	+0.000	+0.009	+0.016	+0.022	+0.005	+0.013	+0.013	+0.007	+0.000	+0.000	+0.016	+0.000	D
E	+0.000	+0.008	+0.012	+0.019	+0.000	+0.021	+0.012	+0.026	+0.019	+0.012	+0.012	+0.000	E
F	+0.005	+0.005	+0.007	+0.014	+0.017	+0.021	+0.012	+0.008	+0.010	+0.000	+0.022	+0.000	F
G	+0.000	-0.005	+0.000	+0.000	+0.008	+0.005	+0.000	+0.000	+0.000	+0.000	+0.000	-0.006	G
H	+0.000	+0.000	+0.000	+0.000	+0.006	+0.012	+0.006	+0.013	+0.000	+0.000	+0.012	+0.031	H
	1	2	3	4	5	6	7	8	9	10	11	12	

1B11

EASY BEAM

Plate # N053-2
Operator JR
Date 4 / 5 / 94
Filter 492 nm
Comment Sens. w/ N054 @ 100ng/well
2°Ab = HRP-GAr IgG/M cocktail

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.000	+0.000	+0.000	+0.000	+0.013	+0.000	+0.000	+0.014	+0.008	+0.012	+0.000	A
B	+0.005	+0.005	+0.008	+0.014	+0.011	+0.011	+0.016	+0.006	+0.010	+0.016	+0.007	+0.009	B
C	+0.000	+0.012	+0.012	+0.020	+0.023	+0.071	+0.024	+0.016	+0.036	+0.000	+0.017	+0.005	C
D	+0.000	+0.000	+0.008	+0.012	+0.019	+0.019	+0.014	+0.019	+0.013	+0.006	+0.009	+0.000	D
E	+0.000	+0.008	+0.031	+0.034	+0.024	+0.028	+0.028	+0.028	+0.016	+0.023	+0.006	+0.008	E
F	+0.000	+0.009	+0.015	+0.025	+0.014	+0.014	+0.024	+0.013	+0.023	+0.009	+0.009	+0.000	F
G	-0.005	+0.011	+0.006	+0.009	+0.005	+0.000	+0.006	+0.011	+0.000	+0.000	+0.008	-0.006	G
H	+0.000	+0.000	+0.015	+0.005	+0.011	+0.000	+0.012	+0.006	+0.013	+0.024	+0.007	+0.011	H
	1	2	3	4	5	6	7	8	9	10	11	12	

226

EASY BEAM

Plate # N053-3
Operator JR
Date 4 / 5 / 94
Comment Scns. w/ N054 @ 100ng/well
2°Ab= HRP-GAr IgG/M cocktail
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.007	-0.007	+0.000	+0.022	+0.000	+0.089	+0.000	+0.016	+0.000	+0.000	+0.000	+0.000	A
B	+0.011	+0.022	+0.000	+0.007	+0.010	+0.008	+0.016	+0.011	+0.007	+0.000	+0.000	+0.000	B
C	+0.000	+0.010	+0.013	+0.013	+0.016	+0.026	+0.009	+0.033	+0.027	-0.005	+0.015	+0.000	C
D	+0.006	+0.022	+0.016	+0.021	+0.006	+0.017	+0.023	+0.019	+0.019	+0.011	+0.011	+0.008	D
E	+0.023	+0.017	+0.017	+0.007	+0.019	+0.019	+0.016	+0.009	+0.024	+0.018	+0.000	-0.007	E
F	+0.008	+0.089	+0.019	+0.017	+0.017	+0.023	+0.013	+0.013	+0.006	+0.016	+0.006	+0.000	F
G	+0.000	+0.008	+0.000	+0.011	+0.000	+0.013	+0.005	+0.000	-0.009	+0.000	+0.005	+0.000	G
H	+0.000	+0.011	+0.011	+0.011	+0.007	+0.007	+0.005	+0.082	+0.000	+0.000	+0.000	+0.000	H
	1	2	3	4	5	6	7	8	9	10	11	12	

3A6
3F2
3H8

EASY BEAM

Plate # N053-4
Operator JR
Date 4 / 5 / 94
Filter 492 nm
Comment Sens w/ N054 @ 100ng/well
2°Ab = HRP-GAr IgG/M cocktail

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.026	+0.010	+0.028	+0.007	-0.006	+0.018	+0.055	+0.034	+0.034	+0.008	+0.011	A
B	+0.024	+0.032	+0.010	+0.035	+0.035	+0.029	+0.044	+0.034	+0.063	+0.011	+0.057	+0.023	B
C	+0.035	+0.035	+0.010	+0.012	+0.056	+0.014	+0.042	+0.047	+0.049	+0.014	+0.048	+0.045	C
D	+0.018	+0.000	+0.036	+0.041	+0.024	+0.051	+0.036	+0.048	+0.021	+0.030	+0.030	+0.027	D
E	+0.019	+0.033	+0.009	+0.025	+0.032	+0.048	+0.051	+0.043	+0.046	+0.033	+0.061	+0.032	E
F	+0.010	+0.010	+0.025	+0.031	+0.006	+0.035	+0.031	+0.018	+0.028	+0.032	+0.021	+0.023	F
G	+0.005	+0.000	+0.046	+0.000	+0.038	+0.025	+0.015	+0.023	+0.026	+0.029	+0.000	+0.027	G
H	+0.005	+0.007	+0.019	+0.028	+0.022	+0.018	+0.044	+0.014	+0.057	+0.015	+0.018	+0.022	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053-5
Operator JR
Date 4 / 5 / 94
Comment Sens. w/ N064 @100ng/well
2°Ab= HRP-GArIgG/M cocktail
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.035	+0.015	+0.034	+0.015	+0.023	+0.036	+0.012	+0.010	+0.019	+0.015	+0.011	+0.007	A
B	+0.023	+0.031	+0.034	+0.045	+0.071	+0.025	+0.013	+0.032	+0.020	+0.011	+0.028	+0.009	B
C	+0.028	+0.018	+0.044	+0.024	+0.036	+0.025	+0.018	+0.018	+0.022	+0.027	+0.023	+0.016	C
D	+0.016	+0.012	+0.045	+0.033	+0.033	+0.012	+0.021	+0.021	+0.016	+0.027	+0.038	+0.016	D
E	+0.012	+0.028	+0.047	+0.019	+0.023	+0.023	+0.016	+0.022	+0.013	+0.036	+0.026	+0.016	E
F	+0.045	+0.028	+0.022	+0.015	+0.021	+0.016	+0.021	+0.026	+0.019	+0.017	+0.015	+0.017	F
G	+0.000	+0.021	+0.010	+0.030	+0.022	+0.020	$\boxed{+0.065}$	+0.026	+0.021	+0.047	+0.016	+0.009	G
H	+0.009	+0.018	+0.029	+0.031	+0.020	+0.031	+0.041	+0.051	+0.042	+0.032	+0.032	+0.017	H
	1	2	3	4	5	6	7	8	9	10	11	12	

5G7

EASY BEAM

Plate # N053-6
Operator JR
Date 4 / 5 / 94
Comment Sens. w/ N054 @ 100 ng/well
2°Ab = HRP-GAr IgG/M cocktail
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.000	+0.000	+0.007	+0.000	+0.014	+0.016	+0.067	+0.008	+0.008	+0.005	-0.015	A
B	+0.005	+0.020	+0.013	+0.018	+0.005	+0.010	+0.012	+0.016	+0.007	+0.013	+0.000	-0.018	B
C	+0.000	+0.000	+0.007	+0.005	+0.000	+0.013	+0.007	+0.000	+0.000	+0.015	+0.011	-0.022	C
D	+0.000	+0.005	+0.015	+0.012	+0.014	+0.014	+0.014	+0.012	+0.016	+0.023	+0.016	-0.019	D
E	+0.000	+0.013	+0.013	+0.013	+0.016	+0.021	+0.008	+0.018	+0.005	+0.000	+0.015	-0.019	E
F	-0.006	+0.005	+0.035	+0.015	+0.005	+0.033	+0.016	+0.020	+0.010	+0.012	+0.009	-0.019	F
G	+0.000	+0.005	+0.000	+0.010	+0.000	+0.021	+0.009	+0.009	+0.000	+0.000	+0.000	-0.020	G
H	+0.000	+0.012	+0.008	+0.019	+0.008	+0.010	+0.015	+0.009	+0.006	+0.006	+0.008	-0.018	H
	1	2	3	4	5	6	7	8	9	10	11	12	

6A8

EASY BEAM

Plate # N053-7
Operator JR
Date 4 / 5 / 94
Filter 492 nm
Comment Sens. w/ N064 @ 100ng/well
2°Ab = HRP-GAr IgG/M cocktail

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.016	+0.025	+0.018	+0.021	+0.030	+0.007	+0.000	+0.031	+0.015	+0.034	+0.014	A
B	+0.000	+0.021	+0.021	+0.025	+0.038	+0.012	+0.016	+0.020	+0.020	+0.020	+0.017	+0.011	B
C	+0.015	+0.032	+0.011	+0.025	+0.018	+0.018	+0.033	+0.038	+0.025	+0.009	+0.019	+0.019	C
D	+0.017	+0.011	+0.026	+0.034	+0.036	+0.028	+0.028	+0.017	+0.020	+0.027	+0.036	+0.012	D
E	+0.032	+0.036	+0.013	+0.035	+0.024	+0.006	+0.013	+0.022	+0.022	+0.013	+0.031	+0.000	E
F	+0.020	+0.025	+0.025	+0.044	+0.026	+0.047	+0.020	+0.028	+0.023	+0.032	+0.015	+0.015	F
G	+0.000	+0.000	+0.015	+0.007	+0.015	+0.013	+0.007	+0.007	+0.000	+0.000	+0.018	+0.010	G
H	+0.007	+0.016	+0.018	+0.015	+0.015	+0.011	+0.018	+0.026	+0.017	+0.026	+0.017	+0.017	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053-8
Operator JR
Date 4 / 5 / 94
Comment Sens. w/ N054 @ 100ng/well
2°Ab = HRP - GAr IgG/M cocktail
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.018	+0.009	+0.040	+0.028	+0.030	+0.021	+0.018	+0.080	+0.028	+0.017	+0.017	A
B	+0.013	+0.024	+0.043	+0.034	+0.028	+0.084	+0.052	+0.034	+0.025	+0.029	+0.034	+0.016	B
C	+0.014	+0.023	+0.038	+0.048	+0.028	+0.028	+0.030	+0.044	+0.051	+0.035	+0.029	+0.026	C
D	+0.016	+0.022	+0.047	+0.026	+0.029	+0.035	+0.041	+0.037	+0.041	+0.029	+0.022	+0.013	D
E	+0.013	+0.039	+0.014	+0.027	+0.011	+0.042	+0.025	+0.025	+0.025	+0.025	+0.010	+0.023	E
F	+0.017	+0.035	+0.020	+0.039	+0.044	+0.038	+0.042	+0.044	+0.023	+0.023	+0.043	+0.036	F
G	+0.011	+0.000	+0.018	+0.015	+0.020	+0.024	+0.008	+0.010	+0.024	+0.019	+0.000	+0.015	G
H	+0.000	+0.014	+0.014	+0.031	+0.031	+0.035	+0.000	+0.026	+0.013	+0.010	+0.000	+0.000	H
	1	2	3	4	5	6	7	8	9	10	11	12	

8A9
8B6

EASY BEAM

Plate # N053-9
Operator JR
Date 4 / 5 / 94
Filter 492 nm
Comment Sens. w/ N054 @ 100ng/well
2°Ab= HRP-GArIgG/M cocktail

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.000	+0.000	+0.005	+0.005	+0.005	+0.000	-0.006	+0.000	+0.000	+0.000	+0.000	A
B	+0.000	+0.008	+0.005	+0.009	+0.014	+0.014	+0.011	+0.009	+0.000	+0.009	+0.013	+0.005	B
C	+0.005	+0.007	+0.000	+0.012	+0.022	+0.017	+0.000	+0.011	+0.008	+0.000	+0.006	+0.009	C
D	+0.000	+0.008	+0.008	+0.014	+0.014	+0.014	+0.014	+0.005	+0.000	+0.009	+0.007	+0.000	D
E	+0.000	+0.000	+0.010	+0.000	+0.000	+0.000	+0.000	+0.005	+0.000	+0.005	+0.005	+0.000	E
F	+0.000	+0.000	+0.006	+0.006	+0.000	+0.000	+0.007	+0.013	+0.000	+0.005	+0.000	+0.000	F
G	+0.000	+0.000	+0.000	+0.007	+0.007	+0.007	+0.010	+0.006	+0.000	+0.000	+0.005	+0.000	G
H	+0.000	+0.017	+0.000	+0.016	+0.006	+0.006	+0.010	+0.006	+0.006	+0.000	+0.011	+0.007	H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053-10 Date 4 / 5 / 94 Filter 492 nm

Operator JR Comment Sens. w/ N064 @ 100ng/well

2°Ab= HRP-GArIgG/M cocktail

	1	2	3	4	5	6	7	8	9	10	11	12	
A	+0.000	+0.000	+0.011	+0.000	+0.000	+0.000	+0.000	+0.000	+0.008	+0.008	+0.000	+0.000	A
B	+0.007	+0.010	+0.000	+0.010	+0.012	+0.000	+0.006	+0.000	+0.012	+0.007	+0.000	+0.000	B
C	+0.000	+0.000	+0.005	+0.010	+0.017	+0.007	+0.000	+0.000	+0.015	+0.011	+0.000	+0.000	C
D	+0.000	+0.005	+0.011	+0.007	+0.009	+0.009	+0.009	+0.007	+0.011	+0.013	+0.000	+0.000	D
E	+0.000	+0.000	+0.014	+0.005	+0.005	+0.005	+0.000	+0.000	+0.017	+0.012	-0.005	+0.000	E
F	+0.007	+0.005	+0.013	+0.021	+0.010	+0.007	+0.007	+0.012	+0.009	+0.012	+0.000	+0.000	F
G	-0.005	+0.000	+0.000	+0.000	+0.006	+0.000	+0.000	+0.000	+0.000	+0.000	-0.008	+0.000	G
H	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	+0.000	H
	1	2	3	4	5	6	7	8	9	10	11	12	

Test Screen (100µl culture supernatant)
4/25/94

		1	2	3	4	5	6	7	8	9	10	11	12	
	A	1A4	1B11	1E3	1F12	2C1	2C3	2C6	3A1	3A6	3F2	3H8	5G7	A
	B	6A8	6E11	6F9	8A9	8A12	8B6	8H1	8H11	8H12	10C10			B
rN053 A/S	C	0	1:100 →											C
	D													D
	E													E
	F													F
	G													G
	H													H
		1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # N053
Operator KF
Date 4 / 26 / 94
Comment Sensitized @ 100ng/well
1°Ab = 100µl culture supernatant and Test Bleed A/S
2°Ab = HRP-GAr IgG/M cocktail
Filter 492 nm

	1	2	3	4	5	6	7	8	9	10	11	12	
A	1A4 +0.000	1B11 -0.006	1E3 -0.028	1F12 +0.000	2C1 -0.006	2C3 -0.012	2C6 +0.030	3A1 +0.015	3A6 +0.015	3F2 +0.020	3H8 +0.090	5G7 +0.094	A
B	6A8 -0.012	6E11 -0.022	6F9 -0.016	8A9 +0.034	8A12 +0.050	8B6 +0.039	8H1 +0.000	8H11 -0.007	8H12 +0.020	10C10 +0.009	Blank +0.000	Blank +0.026	B
r N053 A/S C r 3047	Blank +0.000	1→100 +OVER	+1.936	+1.635	+1.508	+1.355	+0.884	+0.598	+0.344	+0.176	+0.071	+0.045	C
D	======	======	======	======	======	======	======	======	======	======	======	======	D
E	======	======	======	======	======	======	======	======	======	======	======	======	E
F	======	======	======	======	======	======	======	======	======	======	======	======	F
G	======	======	======	======	======	======	======	======	======	======	======	======	G
H	======	======	======	======	======	======	======	======	======	======	======	======	H
	1	2	3	4	5	6	7	8	9	10	11	12	

Microscopic Appearance:

3H8 - many round cells, appears very healthy

5G7 - fair number of round cells, some growing in colonies, appears very healthy

Testing Positive Hybridomas for binding to rhiNOS (8/19/93 Batch) culture Supernatant @ 100µl, 50µl + 25µl

4-29-94

	1	2	3	4	5	6	7	8	9	10	11	12	
A	1A4		→	1B11		→	1E3		→	1F12		→	A
B	2C1		→	2C3		→	2C6		→	3A1		→	B
C	3A6		→	3F2		→	3H8		→	5G7		→	C
D	6A8		→	6E11		→	6F9		→	8A9		→	D
E	8A12		→	8B6		→	8H1		→	8H11		→	E
F	8H12		→	10C10		→	blank		→	blank		→	F
G of rabbit 2760	blank	1:1000	1:2000	1:4000	1:8000	1:16000	1:32000	1:64000	1:128000	blank		→	G
H													H
	1	2	3	4	5	6	7	8	9	10	11	12	

EASY BEAM

Plate # 3 Date 4 / 30 / 94 Filter 492 nm

Operator OF Comment rhiNOS (8-19-93batch) @ 10ng/well

	100µl	50µl	25µl	100µl	50µl	25µl	100µl	50µl	25µl	100µl	50µl	25µl	
	1	2	3	4	5	6	7	8	9	10	11	12	
	1A4 →			1B11 →			1E3 →			1F12 →			
A	+0.000	+0.000	+0.000	+0.012	-0.006	-0.006	-0.006	-0.006	-0.008	-0.010	-0.016	-0.016	A
	2C1 →			2C3 →			2C6 →			3A1 →			
B	-0.007	-0.007	+0.014	+0.014	+0.000	-0.005	-0.005	-0.009	-0.011	-0.007	-0.005	-0.011	B
	3A6 →			3F2 →			3H8 →			5G7 →			
C	-0.005	+0.000	+0.005	+0.000	+0.000	+0.010	-0.006	+0.000	+0.000	+0.005	+0.000	+0.000	C
	6A8 →			6E11 →			6F9 →			8H11 →			
D	+0.000	+0.000	+0.000	-0.005	+0.000	+0.000	-0.009	+0.000	+0.000	-0.005	+0.000	+0.000	D
	8A12 →			8B6 →			8H1 →			8H11 →			
E	+0.000	+0.000	+0.000	+0.000	-0.005	+0.010	-0.005	-0.007	-0.005	-0.008	+0.000	+0.000	E
	8H12 →			10C10 →			blanks →						
F	+0.000	+0.000	+0.000	+0.000	-0.005	-0.005	+0.000	-0.006	-0.006	+0.000	+0.000	-0.009	F
rabbit 2nd	blank	1:1000	1:2000	1:4000	1:8000	1:16K	1:32K	1:64K	1:128K	blanks			
G	+0.000	+0.772	+0.734	+0.599	+0.435	+0.314	+0.150	+0.066	+0.005	+0.000	+0.005	+0.000	G
H	======	======	======	======	======	======	======	======	======	======	======	======	H
	1	2	3	4	5	6	7	8	9	10	11	12	

No binding to rhiNOS!!

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☑ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☑ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: ______________________________

IMAGES ARE BEST AVAILABLE COPY.
As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.